



STYLE[®] X PRESS

Seating On Demand

is a division of Style Ergonomics Australia Pty Ltd

CATALOGUE

2024-2025

Effective on 01/07/2024

NSW | VIC | QLD | WA | HONG KONG | CHINA



Warranty period for chairs and lounges



Weight rating for individual chairs and lounges*



Fully imported Chairs, lounges, parts and components.



The Performance criteria adopted for certification by Furntech is based on Australian standards, e.g. Level 6 - Severe commercial and heavy industrial.*

**Weight limits are self-rated by Style Ergonomic Australia. AFRDI approved chairs are normally rated to 110kg.*

AFRDI 142
Certification



ARFDI rating for multi shift use and 160kg weight limit.



Furntech is an independent not-for-profit technical organisation providing standards, testing product certification and research for buyers and sellers of furniture.



BIFMA is a third-party certification program that provides manufacturers with valuable feedback for evaluating the environmental, human, and social impacts of their furniture products for manufacturing, facility, and organisation.



All instructions of use are instructed while sitting in the chair.

CONTENTS

R1 - TASK MESH SEATING

Intro range	4
Yarra range	6
Rio range.....	8
Hino range	10
Fuse range.....	12
Brent range	14

R2 - TASK SEATING

P350 range	16
Aqua range	18
TR600 range.....	20
Spot range.....	22
Newton range.....	24

R3 - BOARDROOM SEATING

Trent range.....	26
Dela range.....	28
Gala range	30
Web range	32
Volt range	34

R4 - MULTI SHIFT SEATING

Rover range.....	36
Oyster range	38
Ranger range.....	40
Impact range	42
Raptor range.....	44
Corsa range.....	46
Stanza range.....	48

R5 - EXECUTIVE MESH SEATING

Gibbs range	50
Draft range	52
Bolt range	54
Miami range.....	56
Bragg range	58
Kube range.....	60
Razor range.....	62
Mitz range	64
Ivory range	66
Baxter range	68
Evita range	70
Zodiac range	72
Ergo-1 range.....	74

R6 - EXECUTIVE SEATING

Hilton range.....	76
Cruz range	78
Boston range	80
Camry range	82
Siena range	84
Select range.....	86
Magnum range.....	88
Captain range.....	90

R7 - HOSPITALITY SEATING

Focus range.....	92
Aria range	94
Pod range	95
Vinn range	96
Neo range.....	98
Rose range.....	99

R8 - BREAKOUT SEATING

Raven range.....	100
Mia range.....	101
Tonic range	102
Oscar range.....	103
Ram range	104
Nox range	105

R9 - SOFT SEATING

Blitz range.....	106
Rivet range	107
Jaden range	108
Plaza range.....	109

R10 - INDUSTRIAL STOOLS

State range.....	110
Cad range	112
Stage range.....	113

INTRO RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

LEVER

Twist to adjust seat height
Pull to adjust seat and back angle

FRONT KNOB

To adjust weight tension

600MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 910	W: 490	Lowest: 480	Lowest: 625
H: 430	Highest: 1005	D: 480	Highest: 575	Highest: 720



INTRO-BLACK



Side view



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Fixed arms
Butterfly mechanism
600mm black nylon 5 star base


Available in black only
Suitable for indoor use only



YARRA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 950	W: 500	Lowest: 470	Lowest: 620
H: 510	Highest: 1050	D: 515	Highest: 570	Highest: 720



YARRA



Side view



Back view

Features:

Adjustable seat height
Adjustable back height
Adjustable seat and back angle
Adjustable weight tension

Fixed arms
3 lever ergonomic mechanism
600mm black nylon 5 star base

Available in black only
Suitable for indoor use only




RIO RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height
To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER
To adjust back angle
RIGHT FRONT LEVER
To adjust seat height

600MM BLACK NYLON 5 STAR BASE WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

LEFT LEVER
To adjust seat angle

X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK	LOW BACK TO FLOOR	HIGH BACK	HIGH BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 430	Lowest: 925	W: 455	Lowest: 1010	W: 500	Lowest: 485	Lowest: 630
H: 450	Highest: 1120	H: 530	Highest: 1210	D: 460	Highest: 625	Highest: 840



RIO-H



RIO-HC



RIO-L

RIO-LC

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Moulded seat foam
Java seat

3 lever ergonomic mechanism
600mm black nylon 5 star base
Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



Optional drafting kit

HINO RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER
To adjust back angle


RIGHT MIDDLE LEVER
To adjust seat angle

RIGHT FRONT LEVER
To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles

Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 450	Lowest: 1025	W: 560	Lowest: 520	Lowest: 665
H: 530	Highest: 1150	D: 510	Highest: 600	Highest: 830



HINO



HINO-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat foam
Mega big boy seat
3 lever heavy duty ergonomic mechanism
700mm black nylon 5 star base

Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



FUSE RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height
To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER
To adjust back angle
RIGHT MIDDLE LEVER
To adjust seat angle
RIGHT FRONT LEVER
To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

LEFT LEVER
To adjust seat depth
(Build-in seat slider)

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 1070	W: 530	Lowest: 535	Lowest: 685
H: 465	Highest: 1225	D: 465	Highest: 615	Highest: 830



FUSE



FUSE-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable back and seat angle
Adjustable weight tension

Adjustable seat depth (build-in seat slider)
Moulded seat foam
Big boy seat
3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base
Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



BRENT RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height


To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER
To adjust back angle

RIGHT MIDDLE LEVER
To adjust seat angle

RIGHT FRONT LEVER
To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

OPTIONAL ADJUSTABLE ARMS

LEFT LEVER
To adjust seat depth
(Build-in seat slider)

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 1055	W: 530	Lowest: 535	Lowest: 685
H: 525	Highest: 1210	D: 465	Highest: 615	Highest: 830



BRENT



BRENT-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable back and seat angle
Adjustable weight tension
Adjustable seat depth (build-in seat slider)

Adjustable lumbar support
Moulded seat foam
Big boy seat
3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base
Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



P350 RANGE


INSTRUCTION OF USE

INDOOR USE ONLY

OPTIONAL
ADJUSTABLE ARMS

RIGHT BACK LEVER
To adjust back angle
RIGHT FRONT LEVER
To adjust seat height

600MM BLACK NYLON 5 STAR BASE
WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK	LOW BACK TO FLOOR	HIGH BACK	HIGH BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 440	Lowest: 860	W: 450	Lowest: 950	W: 500	Lowest: 480	Lowest: 630
H: 400	Highest: 1045	H: 510	Highest: 1150	D: 460	Highest: 625	Highest: 840



P350H-MB



P350HC-MB



P350-MB

P350C-MB

Features:

Adjustable seat height
Adjustable back height
Adjustable seat and back angle
Moulded seat and back foam
Java seat

3 lever ergonomic mechanism
600mm black nylon 5 star base
Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



Optional drafting kit

AQUA RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER


To adjust back angle

RIGHT FRONT LEVER

To adjust seat height

600MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

LEFT LEVER

To adjust seat angle

X Do not use as a step ladder

DIMENSIONS: (mm)


LOW BACK	LOW BACK TO FLOOR	HIGH BACK	HIGH BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 850	W: 470	Lowest: 950	W: 500	Lowest: 485	Lowest: 630
H: 440	Highest: 1060	H: 540	Highest: 1170	D: 460	Highest: 625	Highest: 840



AQUA-H



AQUA-HC



AQUA-L

AQUA-LC

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Moulded seat and back foam
Java seat

3 lever ergonomic mechanism
600mm black nylon 5 star base
Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



Optional drafting kit

TR600 RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER

To adjust back angle

RIGHT MIDDLE LEVER

To adjust seat angle

RIGHT FRONT LEVER

To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK

W: 490

H: 580

BACK TO FLOOR

Lowest: 1080

Highest: 1240

SEAT

W: 560

D: 510

SEAT TO FLOOR

Lowest: 520

Highest: 600

ARM TO FLOOR

Lowest: 665

Highest: 830



TR600



TR600-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam
Mega big boy seat
3 lever heavy duty ergonomic mechanism
700mm black nylon 5 star base

Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



SPOT RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER
To adjust back angle

RIGHT MIDDLE LEVER
To adjust seat angle

RIGHT FRONT LEVER
To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles

Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 1025	W: 560	Lowest: 520	Lowest: 665
H: 560	Highest: 1165	D: 510	Highest: 600	Highest: 830



SPOT



SPOT-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam
Mega big boy seat
3 lever heavy duty ergonomic mechanism
700mm black nylon 5 star base

Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



NEWTON RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height
To lower the back height raise back all the way to the top and release slowly

- RIGHT BACK LEVER**
To adjust back angle
- RIGHT MIDDLE LEVER**
To adjust seat angle
- RIGHT FRONT LEVER**
To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

**OPTIONAL
ADJUSTABLE ARMS**

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 500	Lowest: 1045	W: 560	Lowest: 520	Lowest: 665
H: 550	Highest: 1200	D: 510	Highest: 600	Highest: 830



NEWTON



NEWTON-C



Back view

Features:

Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam
Mega big boy seat
3 lever heavy duty ergonomic mechanism
700mm black nylon 5 star base


Available in Metro black only
AFRDI tested to level 6
Suitable for indoor use only



TRENT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK

W: 475

H: 500

BACK TO FLOOR

Lowest: 940

Highest: 1035

SEAT

W: 500

D: 490

SEAT TO FLOOR

Lowest: 460

Highest: 555

ARM TO FLOOR

Lowest: 635

Highest: 795



TRENT



Side view



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Adjustable arms
Butterfly mechanism
630mm black nylon 5 star base

Available in black only
Suitable for indoor use only



DELA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



RIGHT LEVER

To adjust seat height

LEFT LEVER

To adjust seat and back angle

FRONT KNOB

To adjust weight tension

**620MM BLACK NYLON 5 STAR BASE
WITH CASTORS**

Use soft tyred castors for tiles
Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 485	Lowest: 990	W: 510	Lowest: 450	Lowest: 660
H: 570	Highest: 1090	D: 480	Highest: 550	Highest: 760



DELA



Side view



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension


Lumbar support
Knee tilt mechanism with 3 locking positions
620mm black nylon 5 star base

Available in black only
Suitable for indoor use only

GALA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 500	Lowest: 960	W: 505	Lowest: 460	Lowest: 680
H: 510	Highest: 1030	D: 480	Highest: 530	Highest: 750



GALA



Side view



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension


Knee tilt mechanism with 3 locking positions
660mm black nylon 5 star base

Available in black only
Suitable for indoor use only

WEB RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



RIGHT LEVER

To adjust seat height

LEFT LEVER

To adjust seat and back angle

FRONT KNOB

To adjust weight tension

**700MM ALUMINIUM 5 STAR BASE
WITH CASTORS**

Use soft tyred castors for tiles
Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 445	Lowest: 940	W: 510	Lowest: 475	Lowest: 695
H: 460	Highest: 1000	D: 440	Highest: 535	Highest: 755



WEB-LB



Side view



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension


Knee tilt mechanism with 3 locking positions
700mm aluminium 5 star base

Available in black PU only
Suitable for indoor use only

VOLT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



RIGHT KNOB

To adjust weight tension

INNER RIGHT LEVER

To adjust seat height

LEFT LEVER

To adjust seat and back angle

**660MM HEAVY DUTY BLACK ALUMINIUM
5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles
Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 530	Lowest: 940	W: 500	Lowest: 460	Lowest: 690
H: 480	Highest: 990	D: 450	Highest: 510	Highest: 740



VOLT-TE



VOLT-TA



VOLT-BL



Features:


Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Black powder coated frame

Knee tilt mechanism with 3 locking positions
660mm heavy duty black aluminium base
Available in terracotta, tan and black PU only
Suitable for indoor use only

COLOUR



TE-
TERRACOTTA



TA-TAN



BL-BLACK

ROVER RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT FOURTH LEVER
To adjust back angle

RIGHT THIRD LEVER
To adjust seat angle

RIGHT SECOND LEVER
To adjust seat height

RIGHT FRONT LEVER
To adjust seat front angle

700MM BLACK NYLON 5 STAR BASE WITH CASTORS
Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

ADJUSTABLE ARMS

FRONT KNOB
To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 500	Lowest: 1095	W: 510	Lowest: 480	Lowest: 640
H: 630	Highest: 1260	D: 520	Highest: 570	Highest: 790


GIBBS RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

RIGHT LEVER
Lift up to adjust seat height
Pull out to adjust
back and seat angle
Push in to lock the angle

**700MM BLACK NYLON
5 STAR BASE WITH CASTORS**
Use soft tyred castors for tiles
Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 990	W: 500	Lowest: 460	Lowest: 650
H: 560	Highest: 1090	D: 510	Highest: 560	Highest: 835



GIBBS



Side view



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

2-Way adjustable arms
Lumbar support
Butterfly mechanism


700mm black nylon 5 star base
Available in black only
Suitable for indoor use only



DRAFT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 480	Lowest: 950	W: 500	Lowest: 460	Lowest: 655
H: 520	Highest: 1035	D: 520	Highest: 545	Highest: 810



DRAFT



Side view



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable arms

Adjustable lumbar
Auto weight tensioning
Synchron mechanism with 3 locking positions


640mm black nylon 5 star base
Available in black only
Suitable for indoor use only



BOLT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 440	Lowest: 940	W: 250	Lowest: 1130	W: 500	Lowest: 430	Lowest: 595
H: 510	Highest: 1140	H: 170	Highest: 1260	D: 495	Highest: 530	Highest: 750

** Please note that the Headrest should not be used to manoeuvre the chair.*



BOLT-H



BOLT-L



Back view

Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable arms

Adjustable lumbar support

Auto weight tensioning

Synchron mechanism with 3 locking positions

670mm black nylon 5 star base


Available in black only

Suitable for indoor use only



MIAMI RANGE

INSTRUCTION OF USE



DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 500	Lowest: 1025	W: 300	Lowest: 1095	W: 520	Lowest: 465	Lowest: 660
H: 585	Highest: 1100	H: 150	Highest: 1270	D: 500	Highest: 550	Highest: 745

** Please note that the Headrest should not be used to manoeuvre the chair.*



MIAMI-H



MIAMI-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Active lumbar


Adjustable arms
Auto weight tensioning
Synchron mechanism with 3 locking positions
650mm black nylon 5 star base

Available in black only
Suitable for indoor use only



BRAGG RANGE

INSTRUCTION OF USE



DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 470	Lowest: 1075	W: 320	Lowest: 1210	W: 510	Lowest: 495	Lowest: 660
H: 650	Highest: 1150	H: 190	Highest: 1370	D: 510	Highest: 570	Highest: 810

** Please note that the Headrest should not be used to manoeuvre the chair.*



BRAGG-H



BRAGG-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable arms

Auto weight tensioning
Synchron mechanism with 3 locking positions
640mm black high arch 5 star base


Available in black only
Suitable for indoor use only



KUBE RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 470	Lowest: 1010	W: 360	Lowest: 1190	W: 490	Lowest: 450	Lowest: 640
H: 590	Highest: 1090	H: 170	Highest: 1260	D: 490	Highest: 530	Highest: 775

** Please note that the Headrest should not be used to manoeuvre the chair.*



KUBE-H



KUBE-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension

Adjustable lumbar
3-Way adjustable arms
Synchron mechanism with 3 locking positions
670mm black nylon 5 star base


Available in black only
BIFMA tested
Suitable for indoor use only



RAZOR RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 510	Lowest: 1180	W: 500	Lowest: 470	Lowest: 680
H: 710	Highest: 1240	D: 505	Highest: 530	Highest: 745

** Please note that the Headrest should not be used to manoeuvre the chair.*



RAZOR



Side view



Back view



Features:


Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable lumbar
Adjustable arms

Auto weight tensioning
Big boy seat
Memory seat foam
Synchron mechanism with 3 locking positions

645mm black nylon 5 star base
Available in black only
Suitable for indoor use only

MITZ RANGE

INSTRUCTION OF USE



DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 520	Lowest: 1060	W: 320	Lowest: 1210	W: 515	Lowest: 470	Lowest: 645
H: 570	Highest: 1180	H: 150	Highest: 1330	D: 480	Highest: 590	Highest: 720

** Please note that the Headrest should not be used to manoeuvre the chair.*



MITZ-H



MITZ-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable lumbar
Adjustable arms

Auto weight tensioning
Big boy seat
Memory seat foam
Synchron mechanism with 3 locking positions

645mm black nylon 5 star base
Available in black only
Suitable for indoor use only

IVORY RANGE

INSTRUCTION OF USE

OPTIONAL
ADJUSTABLE
HEADREST

INDOOR USE ONLY


3-WAY ADJUSTABLE ARMS

RIGHT LEVER

To adjust seat height

620MM GREY NYLON BASE
WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



INNER LEFT LEVER

To adjust seat depth
(seat slider)

LEFT LEVER

To adjust seat
and back angle

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 470	Lowest: 1060	W: 320	Lowest: 1075	W: 510	Lowest: 485	Lowest: 655
H: 650	Highest: 1150	H: 190	Highest: 1325	D: 510	Highest: 575	Highest: 820

** Please note that the Headrest should not be used to manoeuvre the chair.*



IVORY-H



IVORY-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
3-Way adjustable arms

Auto weight tensioning
Synchron mechanism with 3 locking positions
620mm grey nylon 5 star base

Available in grey only
Suitable for indoor use only

BAXTER RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

ADJUSTABLE LUMBAR

OPTIONAL
ADJUSTABLE
HEADREST

3-WAY ADJUSTABLE ARMS

RIGHT KNOB

To adjust weight tension

RIGHT INNER LEVER

To adjust seat height

LEFT KNOB

To adjust seat and back angle

INNER LEFT LEVER

To adjust seat depth (seat slider)

700MM ALUMINIUM

5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 475	Lowest: 1025	W: 330	Lowest: 1130	W: 500	Lowest: 470	Lowest: 670
H: 585	Highest: 1120	H: 200	Highest: 1385	D: 510	Highest: 565	Highest: 830

** Please note that the Headrest should not be used to manoeuvre the chair.*



BAXTER-H



BAXTER-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension


Adjustable lumbar
3-Way adjustable arms
Synchron mechanism with 3 locking positions
700mm aluminium 5 star base

Available in black only
BIFMA tested
Suitable for indoor use only

EVITA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 415	Lowest: 1005	W: 340	Lowest: 1225	W: 490	Lowest: 490	Lowest: 640
H: 560	Highest: 1125	H: 180	Highest: 1380	D: 460	Highest: 610	Highest: 825

** Please note that the Headrest should not be used to manoeuvre the chair.*



EVITA-H



EVITA-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension

Adjustable lumbar
2-Way adjustable arms
Moulded seat foam
Korean mesh back

Synchron mechanism with 3 locking positions
700mm aluminium 5 star base
Available in black only
BIFMA tested
Suitable for indoor use only

ZODIAC RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

ADJUSTABLE ARMS

RIGHT LEVER


To adjust seat height

700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet

OPTIONAL ADJUSTABLE HEADREST

INDOOR USE ONLY



LEFT FRONT LEVER

To adjust back angle

LEFT BACK LEVER

To adjust seat depth
(seat slider)

FRONT KNOB

To adjust weight tension



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 455	Lowest: 990	W: 380	Lowest: 1140	W: 500	Lowest: 515	Lowest: 670
H: 550	Highest: 1150	H: 180	Highest: 1350	D: 490	Highest: 610	Highest: 840

** Please note that the Headrest should not be used to manoeuvre the chair.*



ZODIAC-H



ZODIAC-L



Back view

Features:

- Adjustable seat height cable controlled
- Adjustable back height (ratchet)
- Adjustable seat and back angle cable controlled
- Adjustable seat depth (seat slider) cable controlled
- Adjustable weight tension

- 2-Way adjustable arms
- Synchron mechanism with 3 locking positions
- 700mm aluminium 5 star base
- Available in black only
- BIFMA tested
- Suitable for indoor use only



ERGO-1 RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER

To adjust seat depth (seat slider)

RIGHT FRONT LEVER


To adjust seat height

RIGHT KNOB

To adjust weight tension

700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



INDOOR USE ONLY

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 530	Lowest: 1110	W: 300	Lowest: 1245	W: 520	Lowest: 500	Lowest: 660
H: 640	Highest: 1190	H: 180	Highest: 1400	D: 500	Highest: 590	Highest: 820

** Please note that the Headrest should not be used to manoeuvre the chair.*



ERGO-1H



ERGO-1L



Back view



Features:


- Adjustable seat height cable controlled
- Adjustable back height (ratchet)
- Adjustable seat and back angle cable controlled
- Adjustable seat depth (seat slider) cable controlled
- Adjustable weight tension
- Adjustable active lumbar

- 2-Way adjustable arms
- Synchron mechanism with 3 locking positions
- 700mm aluminium 5 star base
- Available in black only
- BIFMA tested
- Suitable for indoor use only

HILTON RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT	SEAT TO FLOOR	ARM TO FLOOR
BACK TO FLOOR		BACK TO FLOOR				
W: 420	Lowest: 980	W: 420	Lowest: 1110	W: 510	Lowest: 480	Lowest: 660
H: 500	Highest: 1070	H: 660	Highest: 1200	D: 510	Highest: 570	Highest: 830



HILTON-H



HILTON-L



HILTON-VC

Black metal frame
Available in black PU only
Suitable for indoor use only

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Adjustable arms
Synchron mechanism with 3 locking positions
700mm large black nylon 5 star base


Available in black PU only
Suitable for indoor use



CRUZ RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT		ARM TO FLOOR	
BACK TO FLOOR		BACK TO FLOOR		SEAT TO FLOOR			
W: 560	Lowest: 980	W: 560	Lowest: 1150	W: 520	Lowest: 485		Lowest: 680
H: 515	Highest: 1055	H: 680	Highest: 1225	D: 560	Highest: 560		Highest: 755



CRUZ-H



CRUZ-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Fixed chrome arms
Knee tilt mechanism with 3 locking positions
700mm aluminium 5 star base


Available in black PU only
Suitable for indoor use only



BOSTON RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT	SEAT TO FLOOR	ARM TO FLOOR
BACK TO FLOOR		BACK TO FLOOR				
W: 480	Lowest: 1025	W: 500	Lowest: 1170	W: 510	Lowest: 455	Lowest: 640
H: 580	Highest: 1085	H: 720	Highest: 1230	D: 520	Highest: 515	Highest: 770



BOSTON-H



BOSTON-L



BOSTON-VC

Chrome frame
High density foam
Available in black PU only
Suitable for indoor use only



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Adjustable aluminium arms


High density foam
Synchron mechanism with 3 locking positions
700mm aluminium 5 star base

Available in black PU only
Suitable for indoor use only

CAMRY RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT	SEAT TO FLOOR	ARM TO FLOOR
BACK TO FLOOR		BACK TO FLOOR				
W: 500	Lowest: 1045	W: 500	Lowest: 1190	W: 510	Lowest: 510	Lowest: 710
H: 570	Highest: 1125	H: 730	Highest: 1270	D: 530	Highest: 590	Highest: 790



CAMRY-H



CAMRY-L



CAMRY-VC

Chrome frame
High density foam
Available in black PU only
Suitable for indoor use only

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Fixed aluminium arms

High density foam
Knee tilt mechanism with 3 locking positions
700mm aluminium 5 star base


Available in black PU only
Suitable for indoor use only



SIENA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



DIMENSIONS: (mm)

LOW BACK	BACK TO FLOOR	HIGH BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 995	W: 460	Lowest: 1130	W: 510	Lowest: 480	Lowest: 650
H: 550	Highest: 1095	H: 685	Highest: 1230	D: 490	Highest: 580	Highest: 840



SIENA-H



SIENA-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable arm


Saddle seat
Ribbed back
Synchron mechanism with 3 locking positions
700mm black aluminium 5 star base

Available in black PU only
Suitable for indoor use only

SELECT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT		ARM TO FLOOR	
BACK	BACK TO FLOOR	BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR		
W: 470	Lowest: 910	W: 470	Lowest: 1080	W: 500	Lowest: 450	Lowest: 650	
H: 500	Highest: 990	H: 670	Highest: 1160	D: 500	Highest: 530	Highest: 730	



SELECT-H



SELECT-L



Back view



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension


Fixed alloy arms
Knee tilt mechanism with 4 locking positions
700mm alloy 5 star base

Available in leather only
Suitable for indoor use only

MAGNUM RANGE

INDOOR USE ONLY

INSTRUCTION OF USE



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT		ARM TO FLOOR	
BACK TO FLOOR		BACK TO FLOOR		SEAT TO FLOOR			
W: 560	Lowest: 1000	W: 560	Lowest: 1210	W: 550	Lowest: 450		Lowest: 660
H: 565	Highest: 1070	H: 800	Highest: 1275	D: 500	Highest: 510		Highest: 730



MAGNUM-H



MAGNUM-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Fixed aluminium arms

Moulded seat and back foam
Knee tilt mechanism with 3 locking positions
700mm aluminium 5 star base
Extremely comfortable


Available in black leather only
Suitable for indoor use only



CAPTAIN RANGE

INSTRUCTION OF USE

INDOOR USE ONLY



RIGHT INNER LEVER
To adjust seat height

RIGHT KNOB
To adjust weight tension

LEFT KNOB
To adjust seat and back angle

LEFT INNER LEVER
To adjust seat depth
(Seat slider)

**700MM ALUMINIUM 5 STAR BASE
WITH CASTORS**
Use soft tyred castors for tiles
Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK		HIGH BACK		SEAT		ARM TO FLOOR	
BACK TO FLOOR		BACK TO FLOOR		SEAT TO FLOOR			
W: 550	Lowest: 970	W: 550	Lowest: 1150	W: 570	Lowest: 470	Lowest: 640	
H: 510	Highest: 1030	H: 700	Highest: 1210	D: 510	Highest: 530	Highest: 700	



CAPTAIN-H



CAPTAIN-L



Back view

Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Adjustable seat depth (seat slider)
Synchron mechanism with 3 locking positions
700mm aluminium 5 star base

Extremely comfortable
Available in black leather only
Suitable for indoor use only



FOCUS RANGE



FOC-1



FOC-1A

DIMENSIONS: (mm)

BACK	SEAT	OVERALL
W: 490	W: 465	H: 840
H: 435	D: 440	D: 550
		W: 525

ARM WIDTH
Inner: 510
Outer: 610

TABLET ARM
W: 610
D: 660

ARM TO FLOOR
H: 680

TABLET ARM TO FLOOR
H: 745
Flip up: 1010



FOC-1TR



FOC-1TL



Features:

Multi purpose stackable client chair
Not stackable with tablet arms
Optional black metal trolley
Linkable except with arms or tablet arm

Fully strengthened plastic back shell
Fully welded frame
BIFMA drop tested

Available in black only
Suitable for indoor use only
Do not use as a step ladder



ARIA RANGE



ARIA



ARIA-A



ARIA-T

DIMENSIONS: (mm)

BACK	SEAT	OVERALL	ARM WIDTH	ARM TO FLOOR	TABLET ARM	TABLET ARM TO FLOOR
W: 475	W: 475	H: 850	Inner: 525	H: 655	W: 380	H: 735
H: 395	D: 470	D: 515	Outer: 600		D: 270	
		W: 620				

Features:

Stackable
Not stackable with arms or tablet arm
Optional black metal trolley

Linkable without arms or tablet arm
Metal frame
Available in black only

Suitable for indoor use only
Do not use as a step ladder

POD RANGE



POD-SB



POD-SBA



POD-SBT

Trolley available



DIMENSIONS: (mm)

BACK	SEAT	OVERALL	ARM WIDTH	ARM TO FLOOR	TABLET ARM	TABLET ARM TO FLOOR
W: 420	W: 425	H: 830	Inner: 440	H: 670	W: 380	H: 710
H: 380	D: 400	D: 530	Outer: 540		D: 280	Flip up: 990
		W: 480				

Features:

Stackable
Not stackable with arm or tablet arm
Optional black metal trolley

Linkable except with arms or tablet arm
Plastic under pan
Available in black only

Suitable for indoor use only
Do not use as a step ladder

VINN RANGE



VINN-B



VINN-BA



VINN-BT

DIMENSIONS: (mm)

BACK	SEAT	OVERALL	ARM WIDTH	ARM TO FLOOR	TABLET ARM	TABLET ARM TO FLOOR
W: 435 H: 390	W: 455 D: 435	H: 830 D: 545 W: 530	Inner: 485 Outer: 570	H: 665	W: 380 D: 290	H: 695 Flip up: 900



VINN-MB



VINN-MBA



VINN-MBT

Trolley available



Features:

Stackable
Not stackable with tablet arms
Optional black metal trolley

Linkable except with arms or tablet arm
Plastic under pan
Solid steel sled base frame

Available in black only
Suitable for indoor use only
Do not use as a step ladder



NEO RANGE



NEO



Side view



Back view

Features:

Stackable
Square tube
Mesh back
Padded seat

Black metal frame
Available in black only
Suitable for indoor use only
Do not use as a step ladder

WARRANTY

3

Year

WEIGHT LIMIT

120

Kilogram

IMPORTED

DIMENSIONS: (mm)

BACK	SEAT	SEAT TO FLOOR	OVERALL
W: 450	W: 415	H: 450	H: 830
H: 400	D: 450		D: 500
			W: 440

ROSE RANGE



ROSE



Side view



Back view

Features:

Soft padding
Polyurethane arm pads
Chrome finish
Fully welded frame

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder



DIMENSIONS: (mm)

BACK	SEAT	SEAT TO FLOOR	ARM TO FLOOR	OVERALL
W: 470 H: 470	W: 500 D: 450	H: 500	H: 700	H: 940 D: 550 W: 570

RAVEN RANGE



RAVEN-C



Side view



Back view

Features:

Fully upholstered
High density foam
Sled base chrome frame
Plywood shell

Available in Sega charcoal only
Suitable for indoor use only
Do not use as a step ladder

WARRANTY

5

Year

WEIGHT LIMIT

130

Kilogram

IMPORTED

DIMENSIONS: (mm)

BACK	SEAT	SEAT TO FLOOR	OVERALL
W: 450	W: 470	H: 455	H: 855
H: 400	D: 410		D: 500
			W: 590

MIA RANGE



MIA



MIA-A



MIA-A
Side view

WARRANTY
4
Year

WEIGHT LIMIT
120
Kilogram

IMPORTED

Features:

Fully upholstered
High density foam
Sled black frame
Plywood shell

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder

DIMENSIONS: (mm)

BACK	SEAT	SEAT TO FLOOR	OVERALL
W: 480	W: 550	H: 455	H: 845
H: 390	D: 480		D: 550
			W: 480

TONIC RANGE



TONIC-C



Side view



Back view

Features:

Fully upholstered
High density seat foam
Moulded back foam
Solid rod Sled base chrome frame

Available in Segal charcoal only
Suitable for indoor use only
Do not use as a step ladder

DIMENSIONS: (mm)

SHELL	SEAT	SEAT TO FLOOR	OVERALL
W: 640	W: 475	H: 450	H: 755
H: 390	D: 490		D: 500
			W: 590



OSCAR RANGE



OSCAR-C



Side view



Back view

Features:

High density foam
Sled base chrome frame
Plywood shell

Available in Segra charcoal only
Suitable for indoor use only
Do not use as a step ladder

WARRANTY

5

Year

WEIGHT LIMIT

130

Kilogram

IMPORTED

DIMENSIONS: (mm)

SHELL	SEAT	SEAT TO FLOOR	OVERALL
W: 650	W: 580	H: 500	H: 820
H: 400	D: 450		D: 500
			W: 590

RAM RANGE



RAM



Front view



Back view

Features:

Fully upholstered
High density foam
Plywood structure

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder

DIMENSIONS: (mm)

OVERALL	SEAT	SEAT TO FLOOR
H: 690	W: 500	H: 370
D: 740	D: 500	
W: 760		



NOX RANGE



NOX



Front view



Back view

Features:

Fully upholstered
High density foam
Plywood structure

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder

DIMENSIONS: (mm)

OVERALL	SEAT	SEAT TO FLOOR
H: 665	W: 500	H: 325
D: 735	D: 500	
W: 730		

WARRANTY

5

Year

WEIGHT LIMIT

130

Kilogram

IMPORTED

BLITZ RANGE



BLITZ-B



Side view



Back view

Features:

High density foam
Zig zag steel spring
Plywood frame
Chrome feet

Available in black PU
Suitable for indoor use only
Do not use as a step ladder

WARRANTY

5

Year

WEIGHT LIMIT

120

Kilogram

IMPORTED

DIMENSIONS: (mm)

BACK	SEAT	SEAT TO FLOOR	OVERALL
W: 600	W: 610	H: 410	H: 750
H: 350	D: 525		D: 750
			W: 560

RIVET RANGE



RIVET-1



Front view



Back view

Features:

High density foam
Stainless steel frame
Solid timber inner frame

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder

DIMENSIONS: (mm)

RIVET-1

W: 650mm
H: 810mm
D: 690mm

ARM TO FLOOR

630mm

SEAT TO FLOOR

435mm



JADEN RANGE

WEIGHT LIMIT
260
Kilogram



JADEN-2

WEIGHT LIMIT
130
Kilogram



JADEN-1



Back view

Features:

High density foam
Stainless steel frame
Solid timber inner frame

Available in black PU only
Suitable for indoor use only
Do not use as a step ladder



DIMENSIONS: (mm)

JADEN-1
W: 730mm
H: 810mm
D: 730mm

JADEN-2
W: 1390mm
H: 810mm
D: 730mm

ARM TO FLOOR
630mm
SEAT TO FLOOR
450mm

PLAZA RANGE



PL-3



PL-2



PL-1

Features:

- Pocket spring seat
 Loose cushions upholstered both sides
 Zig zag steel spring
 Webbed base
 Solid hardwood frame
- Stainless steel feet
 Available in black PU only
 Suitable for indoor use only

DIMENSIONS: (mm)

PL-1	PL-2	PL-3	ARM TO FLOOR
W: 835mm	W: 1400mm	W: 1970mm	655mm
H: 740mm	H: 740mm	H: 740mm	SEAT TO FLOOR
D: 790mm	D: 790mm	D: 790mm	475mm

WARRANTY
5
 Year

WEIGHT LIMIT
130
 Kilogram

WEIGHT LIMIT
260
 Kilogram


WEIGHT LIMIT
390
 Kilogram

IMPORTED

STATE RANGE

INSTRUCTION OF USE

INDOOR USE ONLY




LEVER

To adjust
seat height

BACK LEVER
To adjust back angle

FRONT LEVER
To adjust seat height



BACK KNOB

To adjust
back height

**600MM BLACK NYLON
5 STAR BASE WITH CASTORS**
Keep a permanent contact
between base of chair and floor

X Do not use as a step ladder

DIMENSIONS: (mm)

ST001	SEAT	SEAT TO FLOOR	BACK TO FLOOR
DI: 330		Lowest: 415 Highest: 555	Lowest: 550 Highest: 690

ST007	SEAT	SEAT TO FLOOR
W: 460 D: 410		Lowest: 440 Highest: 580

ST007	BACK	BACK TO FLOOR
W: 405 H: 310		Lowest: 710 Highest: 990

ST008	SEAT	SEAT TO FLOOR
DI: 340		Lowest: 410 Highest: 550



ST001



ST007



ST008

Features:

Adjustable seat height
Adjustable back height (ST007 only)
Adjustable seat angle (ST007 only)
Optional glides or brake castors

600mm black nylon 5 star base
Available in black only
Suitable for indoor use only
Do not use as a step ladder




Optional drafting kit

CAD RANGE

INSTRUCTION OF USE



CAD



Features:

WARRANTY
5
Year

WEIGHT LIMIT
120
Kilogram

IMPORTED

- Adjustable seat height
- Adjustable seat angle
- Optional glides or brake castors
- Saddle seat
- 640mm black nylon 5 star base
- Available in black PU only
- Do not use as a step ladder



Optional drafting kit

DIMENSIONS: (mm)


SEAT	SEAT TO FLOOR
W: 390	Lowest: 530
D: 410	Highest: 640

STAGE RANGE

INSTRUCTION OF USE



STAGE



Features:

Adjustable seat height
Adjustable back height
Adjustable seat and back angle
Optional glides or brake castors

Saddle seat
640mm black nylon 5 star base
Available in black PU only
Do not use as a step ladder



Optional drafting kit



DIMENSIONS: (mm)

BACK	BACK TO FLOOR
W: 430	Lowest: 875
H: 340	Highest: 985
SEAT	SEAT TO FLOOR
W: 390	Lowest: 530
D: 410	Highest: 640